

T 9 N

R 2 E



Office of the Monroe County Surveyor
Trohn Enright-Randolph

Health Services Building
119 West 7th Street
Bloomington, IN 47404
Phone: (812) 349-2570

Dear User,


The following images were obtained in 2017 by the Office of the Monroe County Surveyor from the State Imaging and Microfilm Laboratory at the Indiana State Archives. The field notes and plats for Brown County are stored on microfilm Reel 5923 at the Indiana State Archives. Each page provided by the State Imaging and Microfilm Laboratory is approximately 18MB. Our office combined the pages by Township & Range and reduced the resulting pdfs. This process may have caused some degradation in quality. We will provide unreduced images of specific pages if required. Please contact us at 812-349-2570 or at SurveyorsOffice@co.monroe.in.us to request a higher quality image of any specific page.

The pdfs are bookmarked with the original page numbers as assigned by the State Imaging and Microfilm Laboratory.

Be prepared to provide the county name, reel number, and the required page numbers when requesting full sized images.

If you would like a DVD of an entire county, please provide us with one DVD per county along with a self-addressed, stamped envelope.

Trohn Enright-Randolph
Monroe County Surveyor



Township N^o IX North, Range N II East of 2nd Mer. Surveyed by James Hedges 1819.

Description of the Soil on the interior Sectional lines.

Between Sections	Quality &c.	Between Sections	Quality &c.	Between Sections	Quality &c.
31 & 32	Stilly poor land. M. Oak. Beech. &c. 1/2 mg. th Dogwood. Ironwood &c.	32 & 33	Stilly poor land. M. Oak. Hickory &c. 1/2 mg. th Ironwood &c.	2 & 3	Poor Stilly land. Oak. Hickory &c.
30.31	Same	28.33	Mixed w. good water. M. Oak. Sugar	35.34	Same
29.34	Same	27.28	Poor Stilly land. Oak. Hickory &c.	24.35	Same
19.30	Same	21.28	Same	15.36	Same
19.20	Same	21.22	Same	25.26	Same
18.19	Same	16.21	Same	23.26	Same
17.18	Same. Stony &c.	15.16	Same	24.25	Same
7.18	Same	9.16	Same	23.24	Same
7.8	Same	7.16	Same	14.23	Same
6.7	Same	4.9	Same	13.24	Same
5.6	Same	3.4	Same	12.13	Same
32.33	Level & Wet. M. Oak. Sugar. Beech. Spruce &c.	34.33	Same	13.14	Same
29.32	Stilly poor land. M. Oak. Hickory &c. 1/2 mg. th Ironwood &c.	27.24	Same	11.12	Same
28.29	Same	26.27	Same	2.11	Same
20.29	Same	22.27	Same	7.12	Same
20.21	Same	22.23	Same	1.2	Same
17.20	Same	15.22	Same		
16.19	Same	14.15	Same		
8.17	Same	10.15	Same		
8.9	Same	10.11	Same		
5.8	Same	3.16	Same		
4.5	Same				

Township N. 9 North, Range N. 2 East 2nd Mer.

Range Line - Var. 6° 45' E		North	
North	Between Ranges 2 & 3 E. From 7 North	10.00	On the East Side of Sec. 12 gr. Sec. Corner Beech 7 S 5 E 9 Saw. Oak 24 S 61 W 4
	On the East Side of Sec. 36		
40.00	gr. Sec. Corner Beech 7 S 4 E 29 Hickory 7 S 34 W 11	80.00	Set post corner of Sec. 10 12 Saw 18 S 7 E 6 Sugar 10 S 72 W 20
75.50	A. Brook 15 lks S. W		Broken land, timber Oak P.
80.00	Set post corner to Sec. 25 S 36 W. Oak 18 S 45 W 9 do 18 S 6 E 40	North	On the East Side of Sec. 1
	Broken land, timber Oak P.	40.00	gr. Sec. Corner Sugar 12 S 83 E 10 Saw. Oak 8 S 2 W 11
North	On the East Side of Sec. 25	68.50	A. Brook 10 lks S. E
34.90	A. Brook 15 lks S. W	70.24	Set post corner of Sec. 1 From 7 S 10 S 22 E 3
40.00	gr. Sec. Corner Beech 12 S 5 E 8 W. Oak 20 S 31 W 27		Beech 8 S 5 E 10 do 8 S 56 W 6
67.50	A. Brook 10 lks		Broken land, timber Oak P. June 22, 1819.
80.00	Set post corner of Sec. 24 S 25 Hickory 12 S 32 W 18 Beech 10 S 39 E 28		Surveyed by John McDonald D.S.
	Land same very Broken		Town Lines
North	On the East Side of Sec. 24		From the Corner of Towns 8 S 9 Ranges 1 & 2 E
18.70	A. Creek 125 lks West	East	On the South Side of Sec. 31
22.50	Same S. E	13.00	A. Brook 10 lks East
40.00	gr. Sec. Corner Beech 7 S 4 W 3 Sugar 6 S 66 E 4	40.00	gr. Sec. Corner Beech 26 S 10 E 12 Sugar 16 S 40 E 40
46.50	A. Creek 150 lks S. W	45.00	A. Creek 200 lks South
80.00	Set post corner to Sec. 13 S 24 W. Oak 8 S 35 E 12 do 9 S 42 W 5	80.00	Set post corner to Sec. 31 S 32 W. Oak 16 S 40 E 3 Beech 14 S 50 W 25
	Over Creek Bottoms, timber Oak P.		Flat Bottom land, Elm, Maple P.
North	On the East Side of Sec. 13	East	On the South Side of Sec. 32
40.00	gr. Sec. Corner W. Oak 13 S 8 W 25 Ironwood 6 S 65 W 10	7.25	To a Sugar 12 in. on Boundary line Sugar 14 S 54 W 14 Beech 11 S 35 W 15
80.00	Set post corner of Sec. 12 S 13 Beech 10 S 38 E 24 B. Oak 8 S 41 W 15		Land the same
	Broken Brushy land		Surveyed by Alex. Holmes D.S.

West		East	
	On Handover line Between T. 8 S 9 Range 2 on South Boundary of Sec. 36 S 9		On the South Side of Sec. 34
40.00	Temporary gr. Sec. post	40.00	gr. Sec. Corner W. Oak 15 S 43 W 3 Oak 27 S 39 E 35
73.40	A. Branch 8 lks South	80.00	Set post corner of Sec. 34 S 35 Saw 18 S 39 W 26 W. Oak 15 S 36 E 35
80.00	Temporary post corner of Sec. 35 S 36		Broken land, Oak, Hickory, Honey Loc.
West	Continued on South Side of Sec. 35	East	On the South Side of Sec. 35
14.40	A. Branch 8 lks S. W	40.00	gr. Sec. Corner B. Oak 14 - 62 W 16 Oak 20 S 42 E 24
40.00	Temporary gr. Sec. post	80.00	Set post corner of Sec. 35 S 36 W. Oak 20 S 38 E Hickory 9 S 38 E 32
79.10	A. Spring Branch 6 lks S. W		Broken Brushy land, Hick. Oak P. Hickory
80.00	Temporary post corner of Sec. 34 S 35	East	On the South Side of Sec. 36
West	Continued on South Side of Sec. 34	40.00	gr. Sec. Corner S. Oak 8 S 12 W 9 do 7 S 29 E 7
30.50	A. Branch 10 lks S. W	80.00	To the corner of Towns 8 S 9 Range 2 East Towns 8 S 9 in Range 3 E. June 3, 1819 Surveyed by John McDonald D.S.
40.00	Temporary gr. Sec. post		
80.00	Temporary post corner of Sec. 33 S 34		
West	Continued on South Side of Sec. 33		
40.00	Temporary gr. Sec. post		
80.00	Temporary post corner of Sec. 32 S 33		
West	Continued on Side of Sec. 32		
26.52	Intersect the Boundary		
East	On True line Between T. 8 S 9 Range 2 On the South Side of Sec. 32		
26.52	Set post on Town line corner of Sec. 32 S 33 Beech 7 S 63 W 11 do 8 S 64 E 21		
	Rolling land, Beech Oak, Ang. Dogwood, Birch		
East	On the South Side of Sec. 33		
40.00	gr. Sec. Corner W. Oak 24 S 5 W 13 Sugar 10 S 46 E 22		
80.00	Set post corner of Sec. 33 S 34 Hickory 12 S 38 W 21 W. Oak 10 S 18 E 26		
	Land Broken, Oak, Hickory, Beech, Ang. Oak & Dogwood		

Subdivisions of Town 9 N. 2 E. 2 East		58.50	A. Brook 25 lks. South
5.50	North Boundary line	79.00	Intersected N. Boundary 7 lks. S. of Corner
11.00	A. Stream 130 lks S 58 W		Land Willy & poor. N. Oak, Hickory & Beech.
25.15	A. Brook 14 in. diam.		Ang. th Dogwood & Ironwood
33.00	A. Brook 6 lks S 80 W		East Corrected
38.40	A. Salt Spring 23 1/2 lks. West	39.50	gr. Sec. corner N. Oak 13 S 52 W 30
40.00	gr. Sec. corner N. Oak 18 S 67 W 21		do 16 S 37 E 22
	do 24 S 78 E 24	79.00	Section corner
67.30	A. Brook 5 in. diam.		North Between Sec. 19 & 20
80.00	Set post corner of Sec. 29, 30, 31, 32	15.00	A. Brook 12 in. diam.
	N. Oak 24 S 88 E 30	16.00	A. Brook 10 lks S 60 W
	Beech 6 S 75 W 11	40.00	gr. Sec. corner Hickory 15 S 48 E 31
	Land Willy & poor. N. Oak, Beech, Ang. th Dogwood		N. Oak 26 S 59 W 39
West	Between Sec. 30 & 31 On Randon	59.00	A. Brook 11 in. diam.
25.50	A. Brook 30 lks S 30 W	50.00	Set post corner to Sec. 17, 18, 19, 20
40.00	Temporary gr. Sec. post		N. Oak 13 S 60 E 45
73.00	A. Brook 6 lks S 80 E		Ches. Oak 13 S 82 W 23
78.75	Intersected N. Boundary 2 1/2 lks. S. of Corner		Land Very Willy & poor. N. Oak, Hickory & Beech
	Land & timber same		Ang. th Ironwood, N. Oak & Sassafras
	East Corrected	West	Between Sec. 18 & 19 On Randon
39.37 1/2	gr. Sec. corner N. Oak 16 S 24 W 47	40.00	Temporary gr. Sec. post
	N. Oak 24 S 43 1/2 E 55	50.30	A. Brook 20 lks South
78.75	Section corner	68.45	A. Brook 6 lks S 60 E
North	Between Sec. 29 & 30	79.70	Intersected N. Boundary 7 1/2 lks. S. of Corner
12.60	A. Hickory 11 in. diam.		Land Willy & poor. N. Oak, Hickory, Beech, Gum.
40.00	gr. Sec. corner N. Oak 8 S 67 E 27		East Corrected
	Beech 10 S 23 W 23		Feb. 29 th 1820
58.00	A. N. Oak 28 in. diam.	39.55	gr. Sec. corner N. Oak 12 S 33 W 38
80.00	Set post corner to Sec. 19, 20, 29, 30		Hickory 8 S 67 W 39
	Beech 24 S 42 E 15	79.70	Section corner
	do 13 S 39 W 37		North Between Sec. 17 & 18
	Land & timber same	26.00	A. Brook 10 in. diam.
West	Between Sec. 19 & 20 On Randon	40.00	gr. Sec. corner Sugar 7 S 58 E 24
19.50	A. Brook 10 lks S 50 W		do 12 S 72 W 40
40.00	Temporary gr. Sec. post	48.20	A. Poplar 22 in. diam.

65.70	A. Brook 8 lks S 70 W	North	Between Sec. 5 & 6
80.00	Set post corner to Sec. 7, 8, 17, 18	11.60	A. N. Oak 26 in. diam.
	B. Oak 10 S 33 W 42	24.50	A. Brook 10 lks S 8 E
	N. Oak 13 S 2 E 29	40.00	gr. Sec. corner Sugar 6 S 75 E 24
	Land Very Willy & poor. N. Oak, Hickory, Ang. th Ironwood & Sassafras.		N. Oak 25 West 26
West	Between Sec. 7 & 8 On Randon	56.80	A. Brook 20 lks S 5 W
7.00	A. Brook 12 lks S 60 W	64.30	A. N. Oak 8 in. diam.
35.75	A. Brook 8 lks South	66.56	Intersected N. Boundary 2 1/2 lks East of post
40.00	Temporary gr. Sec. post		Beech 14 S 60 W 27
60.50	A. Brook 10 lks S 5 E		do 5 S 80 E 28
79.90	Intersected N. Boundary 7 1/2 lks. S. of Corner		Land Union 2 nd date. N. Oak, Sugar & Beech
	Land Willy & poor. Hickory, timber & similar		Ang. th Spruce & Ironwood
East	Corrected	North	Between Sec. 32 & 33
39.75	gr. Sec. corner N. Oak 13 S 67 W 24	11.85	A. N. Oak 30 in. diam.
	Beech 9 S 87 E 57	32.80	A. Brook 6 lks S 40 W
79.90	Section corner	40.00	gr. Sec. corner Beech 11 S 5 W 25
North	Between Sec. 7 & 8		Hickory 5 S 32 E 13
5.50	A. Brook 12 lks S 60 W	54.18	A. Brook 11 in. diam.
40.00	gr. Sec. corner N. Oak 15 S 31 W 76	64.00	A. Stream 130 lks S 70 W
	Gum 9 S 1 W 71	80.00	Set post corner of Sec. 28, 29, 32, 33
51.20	A. N. Oak 17 in. diam.		Beech 14 S 31 W 21
80.00	Set post corner to Sec. 5, 6, 7, 8		Gum 17 S 73 E 40
	Gum 24 South 38		Land level & Met. N. Oak, Sugar, Beech, Ang. th Spruce
	Beech 14 S 27 W 10	West	Between Sec. 29 & 32 On Randon
	Land & timber same	27.00	A. Brook 8 lks S 70 W
West	Between Sec. 6 & 7 On Randon	29.00	A. Brook 10 lks S 5 E
18.30	A. Brook 6 lks North	40.00	Temporary gr. Sec. post
20.50	A. Brook 6 lks S 20 E	80.00	Intersected E. Boundary 162 S. of corner
40.00	Temporary gr. Sec. post		Land Willy & poor. N. Oak & Hickory, Ang. th Ironwood
80.00	Intersected N. Boundary 28 lks. S. of corner		East Corrected
	Land Willy & poor. Same timber	40.00	gr. Sec. corner Hickory 15 S 21 W 26
East	Corrected		Beech 8 S 4 E 34
40.00	gr. Sec. corner Gum 16 S 58 E 30	80.00	Section corner
	Beech 12 S 5 W 15		
80.00	Section corner		

North	Between Sec: 28 & 29	East	Corrected. Between Sec: 17 & 20
18.65	A. W. Oak 12 in. diam.	40.00	gr. Sec. Corner Hickory 11 St 50 W 27
40.00	gr. Sec. Corner W. Oak 30 S 2 W 50		do 12 S 12 E 10
	do 18 St 17 W 60	80.00	Section Corner
54.00	A. Brook 8 lks S 45 E	North	Between Sec: 16 & 17
64.00	A. W. Oak 12 in. diam.	15.75	A. Spruce 26 in. diam.
80.00	Set post Corner of Sec: 20, 21, 28, 29	23.86	A. Brook 10 lks S 20 E
	W. Oak 28 S 27 W 45	40.00	gr. Sec. Corner W. Oak 12 S 10 W 10
	do 18 St 23 E 39		do 11 St 46 W 8
	Land Hilly, poor & rocky, Oak & Hickory, Eng th	60.80	A. R. Oak 30 in. diam.
	Ironwood, Dogwood & Sassafras	80.00	Set post Corner of Sec: 8, 9, 16, 17
West	Between Sec: 20 & 29 On Randome		W. Oak 11 S 9 E 28
20.60	A. Brook 6 lks S 10 E		Sugar 10 St 26 W 12
40.00	Temporary gr. Sec. post		Land Hilly & poor, W. Oak, Oak, Hickory, Eng th , Ironwood & Sassafras
80.00	Intersected W. Boundary 72 lks S. of Corner	West	Between Sec: 8 & 17 On Randome
	Land & Timber Same	40.00	Temporary gr. Sec. post
East	Corrected	50.00	Intersected W. Boundary 93 lks S. of Corner
40.00	gr. Sec. Corner W. Oak 14 S 80 E 10		Land & Timber Same
	Ches. Oak 14 St 60 W 40	East	Corrected
80.00	Section Corner	40.00	gr. Sec. Corner W. Oak 20 St 30 E 32
North	Between Sec: 20 & 21		Sugar 9 S 11 W 13
6.00	A. Brook 6 lks S 50 E	80.00	Section Corner
13.50	A. W. Oak 15 in. diam.	North	Between Sec: 8 & 9
40.00	gr. Sec. Corner W. Oak 10 S 82 E 25	21.42	A. W. Oak 8 in. diam.
	Hickory 14 S 65 W 21	40.00	gr. Sec. Corner Dogwood 6 S 62 E 4
70.00	A. W. Oak 13 in. diam.		W. Oak 12 S 88 W 54
80.00	Set post Corner to Sec: 16, 17, 20, 21	31.83	A. Ches. Oak 11 in. diam.
	W. Oak 17 St 31 W 46	70.00	A. Brook 12 lks S 35 W
	do 14 S 2 W 26	80.00	Set post Corner to Sec: 4, 5, 8, 9
	Land Very Hilly, poor & heavy, W. Oak, Ches. Oak, Hickory, Eng th , Ironwood & Sassafras		Beach 8 S 29 W 23
West	Between Sec: 17 & 20 On Randome		do 14 North 14
40.00	Temporary gr. Sec. post		Land Hilly & poor, W. Oak, Ches. Oak & Hickory, Eng th , Ironwood & Sassafras
80.00	Intersected W. Boundary 60 lks S. of Corner		
	Land Hilly & poor, W. Oak, Ches. Oak & Hickory, Eng th , Ironwood & Sassafras		
	March 2 ^d 1820		

West	Between Sec: 5 & 8 On Randome	80.00	Set post Corner to Sec: 4, 5, 8, 9
4.20	A. Brook 12 lks S 35 W		Beach 8 S 29 W 23
40.00	Temporary gr. Sec. post		do 14 North 14
59.80	A. Brook 10 lks S 40 W		Land Hilly & poor, Timber Same
80.00	Intersected W. Boundary 42 lks S. of Corner	West	Between Sec: 5 & 8 On Randome
	Land Hilly & poor, W. Oak, Ches. Oak & Hickory, Eng th	4.20	A. Brook 12 lks S 35 W
East	Corrected	40.00	Temporary gr. Sec. post
40.00	gr. Sec. Corner Hickory 11 St 50 W 27	59.80	A. Brook 10 lks S 40 W
	do 12 S 12 E 10	80.00	Intersected W. Boundary 42 lks S. of Corner
80.00	Section Corner		Land & Timber Same
North	Between Sec: 16 & 17	East	Corrected
15.75	A. Spruce 26 in. diam.	40.00	gr. Sec. Corner W. Oak 8 S 56 E 94
23.80	A. Brook 10 lks S 20 E		do 13 S 2 W 11
40.00	gr. Sec. Corner W. Oak 12 S 10 W 10	80.00	Section Corner
	do 11 St 46 W 8	North	Between Sec: 4 & 5
60.80	A. R. Oak 30 in. diam.	19.20	A. Sugar 12 in. diam.
80.00	Set post Corner to Sec: 8, 9, 16, 17	40.00	gr. Sec. Corner Sugar 6 Corner tree
	W. Oak 11 S 9 E 28		Spruce 9 St 17 W 21
	Sugar 10 St 26 W 12	47.30	A. Brook 15 lks West
	Land & Timber Same	53.20	A. W. Oak 18 in. diam.
West	Between Sec: 8 & 17 On Randome	65.00	Intersected W. Boundary 21 lks E. of Corner
40.00	Temporary gr. Sec. post		Beach 6 St 26 E 37
80.00	Intersected W. Boundary 73 lks S. of Corner		Elm 14 S 29 W 13
	Land & Timber Same		Land & Timber Same March 3 ^d 1820.
East	Corrected	North	Between Sec: 33 & 34
40.00	gr. Sec. Corner W. Oak 20 St 30 E 32	20.29	A. W. Oak 26 in. diam.
	Sugar 9 S 11 W 13	40.00	gr. Sec. Corner Beach 14 S 28 E 30
80.00	Section Corner		W. Oak 10 St 56 W 13
North	Between Sec: 8 & 9	50.25	A. W. Oak 9 in. diam.
21.42	A. W. Oak 8 in. diam.	80.00	Set post Corner of Sec: 27, 28, 33, 34
40.00	gr. Sec. Corner / Dogwood 6 S 62 E 4		W. Oak 18 S 48 E 33
	W. Oak 12 S 88 W 54		Hickory 11 St 55 W 9
51.83	A. Ches. Oak 11 in. diam.		Land Hilly & poor, W. Oak, B. Oak & Beach,
70.00	A. Brook 12 lks S 35 W		Eng th , Dogwood & Ironwood

West Between Sec: 28 & 33 On Random
 40.00 Temporary gr. Sec. post
 45.00 H. Stream 130 lbs S 20 W
 52.00 H. Brook 12 lbs S & E
 80.00 Intersected N. Boundary 12 lbs S. of corner
 Land Mucron 2nd rate W. Oak Sugar & Beech
 Lingth Dogwood, Ironwood & Spruce
 East Corrected
 40.00 gr. Sec. corner Beech 8 S 59 W 13
 do 14 S 83 E 24
 80.00 Section corner
 North Between Sec: 27 & 28
 18.50 H. W. Oak 20 in. diam.
 40.00 gr. Sec. corner W. Walnut 48 S 80 W 16
 Elm 4 S 59 E 47
 41.00 H. Stream 130 lbs S 50 W
 46.00 H. Brook 25 lbs S 10 E
 80.00 Set post corner to Sec: 21, 22, 27, 28
 Walnut 12 S 66 E 12
 Elm 4 S 45 W 47
 Land Mily & poor W. Oak & Hickory
 Lingth Dogwood, Ironwood &
 West Between Sec: 21 & 28 On Random
 4.50 H. Brook 25 lbs S 15 E
 40.00 Temporary gr. Sec. post
 48.00 H. Brook 10 lbs S 10 E
 80.00 Intersected E. Boundary 150 lbs S. of corner
 Land & Timber Same
 East Corrected
 40.00 gr. Sec. corner Hickory 11 S 37 E 16
 do 14 S 50 W 40
 80.00 Section corner
 North Between Sec: 21 & 22
 17.00 H. W. Oak 12 in. diam.
 40.00 gr. Sec. corner B. Oak 26 S 40 E 35
 W. Oak 28 S 5 E 46

41.00 H. Brook 10 lbs S 80 E
 73.25 H. W. Oak 15 in. diam.
 80.00 Set post corner of Sec: 15, 16, 21, 22
 W. Oak 26 S 4 E 7
 do 12 S 4 W 62
 Land Mily & poor W. Oak Hickory, Lingth Ironwood
 West Between Sec: 16 & 21 On Random
 7.50 H. Brook 12 lbs S 5 W
 40.00 Temporary gr. Sec. post
 59.50 H. Brook 20 lbs South
 80.00 Intersected N. Boundary 135 lbs S. of corner
 Land & Timber Same
 East Corrected March 4th 1820
 40.00 gr. Sec. corner W. Oak 7 S 5 W 26
 Hickory 20 S 49 E 14
 80.00 Section corner
 North Between Sec: 15 & 16
 12.35 H. Brook 12 lbs S 30 W
 16.20 H. Hickory 15 in. diam.
 40.00 gr. Sec. corner W. Oak 7 S 5 W 46
 do 8 S 1 W 38
 57.50 H. Poplar 28 in. diam.
 80.00 Set post corner of Sec: 9, 10, 15, 16
 Chest. Oak 13 S 30 W 50
 do 15 S 48 E 29
 Land & Timber Same
 West Between Sec: 9 & 16 On Random
 18.00 H. Brook 10 lbs South
 40.00 Temporary gr. Sec. post
 59.00 H. Brook 10 lbs S 10 W
 80.00 Intersected N. Boundary 24 lbs S. of corner
 Land & Timber Same
 East Corrected
 40.00 gr. Sec. corner Gum 18 S 10 E 47
 Poplar 8 S 15 E 48
 80.00 Section corner

North Between Sec: 9 & 10
 21.62 H. Sugar 12 in. diam.
 40.00 gr. Sec. corner Beech 28 S 41 E 51
 Sugar 11 S 4 E 53
 53.60 H. Hickory 18 in. diam.
 80.00 Set post corner to Sec: 3, 4, 9, 10
 Hickory 16 S 29 W 25
 Gum 18 S 20 W 11
 Land Mily & poor W. Oak & Chest. Oak Hickory
 Lingth Ironwood
 West Between Sec: 4 & 9 On Random
 40.00 Temporary gr. Sec. post
 80.00 Intersected N. Boundary 54 lbs S. of corner
 Land & Timber Same
 East Corrected
 40.00 gr. Sec. corner Gum 12 S 44 E 28
 Sugar 11 S 57 W 38
 80.00 Section corner
 North Between Sec: 3 & 4
 16.00 H. B. Oak 30 in. diam.
 40.00 gr. Sec. corner W. Oak 15 S 20 W 79
 Sugar 6 S 20 E 12
 52.80 H. Brook 6 lbs S 50 E
 53.40 H. W. Oak 26 in. diam.
 65.00 Intersected N. Boundary 37 lbs E. of corner
 Beech 10 S 72 E 21
 Sugar 10 S 29 W 19
 Land & Timber Same
 North Between Sec: 35 & 34
 19.20 H. Chest. Oak 20 in. diam.
 40.00 gr. Sec. corner W. Oak 11 S 48 E 11
 do 14 S 48 W 3
 60.15 H. W. Oak 12 in. diam.
 80.00 Set post cor. to Sec: 26, 27, 34, 35
 Chest. Oak 16 S 49 W 27
 Gum 13 S 37 E 29
 Land & Timber Same

West Between Sec: 27 & 34 On Random
 40.00 Temporary gr. Sec. post
 80.00 Intersected N. Boundary 60 lbs S. of corner
 Land Mily & poor W. Oak Hickory, Beech Lingth Ironwood
 West Corrected West
 40.00 gr. Sec. corner Beech 7 S 21 E 23
 do 11 S 25 W 11
 80.00 Section corner
 North Between Sec: 26 & 27
 14.05 H. W. Oak 20 in. diam.
 19.07 H. Brook 8 lbs S 60 W
 40.00 gr. Sec. corner W. Oak 16 — 14
 do 18 S 45 E 10
 55.64 H. Gum 11 in. diam.
 42.00 H. Stream 130 lbs S 85 W
 48.50 H. Brook 25 lbs S 50 W
 80.00 Set post corner to Sec: 22, 23, 26, 27
 Ash 15 S 30 W 20
 Beech 12 S 34 E 25
 Land & Timber Same
 West Between Sec: 22 & 27 On Random
 40.00 Temporary gr. Sec. post
 47.50 H. Brook 8 lbs South
 80.00 Intersected N. Boundary — lbs of Sec. cor.
 Land & Timber Same March 7th 1820
 East Corrected
 40.00 gr. Sec. corner Beech 8 S 81 E 27
 do 11 S 76 W 17
 80.00 Section corner
 North Between Sec: 22 & 23
 23.40 H. W. Oak 15 in. diam.
 40.00 gr. Sec. corner Hickory — S 78 W 10
 Ironwood 4 S 76 E 19
 53.50 H. Brook 8 lbs S 50 E
 64.18 H. W. Oak 18 in. diam.

50.00 Set post corner to Sec^s 14, 15, 22, 23
 N. Oak 15 S 2 E 16
 Poplar 7 S 82 W 31
 Sand Hilly & poor N. Oak Hickory 11/2 ft. Sand & gravel
 West Between Sec^s 15 & 22 On Random
 20.00 N. Brook 8 lbs S 15 E
 40.00 Temporary gr. Sec. post
 80.00 Intersected E. Boundary 52 lbs S. of corner
 Sand & timber same
 East Corrected
 40.00 gr. Sec. corner Hickory 15 S 32 E 37
 N. Oak 13 S 32 W 10
 80.00 Section corner
 North Between Sec^s 14 & 15
 30.90 N. W. Oak 26 in. diam.
 40.00 gr. Sec. corner N. Oak 12 S 27 E 15
 do 7 S 10 W 25
 49.50 N. Hickory 14 in. diam.
 57.20 N. Brook 15 lbs S 30 E
 80.00 Set post corner to Sec^s 10, 11, 14, 15
 N. Oak 12 S 40 E 14
 do 12 S 21 W 32
 Sand Hilly & poor N. W. Oak Hickory 11/2 ft. Sand & gravel
 West Between Sec^s 10 & 15 On Random
 21.50 N. Brook 12 lbs S 30 E
 40.00 Temporary gr. Sec. post
 80.00 Intersected W. Boundary 12 lbs S. of corner
 Sand & timber same
 East Corrected March 8th 1820
 40.00 gr. Sec. corner N. Oak 36 S 45 W 19
 Gum 10 S 40 E 36
 80.00 Section corner
 North Between Sec^s 10 & 11
 25.25 N. W. Oak 24 in. diam.
 40.00 gr. Sec. corner N. Oak 9 S 7 W 3
 do 12 S 29 E 33

52.20 N. W. Oak 12 in. diam.
 65.00 N. Brook 10 lbs S 20 E
 70.00 Same Brook S 35 W
 75.50 Same Brook S 25 E
 80.00 Set post corner to Sec^s 2, 3, 10, 11
 N. Oak 6 - 1 W 31
 do 16 S 26 W 29
 Sand & timber same
 West Between Sec^s 3 & 10 On Random
 4.70 N. Brook 10 lbs S 30 E
 40.00 Temporary gr. Sec. post
 80.00 Intersected W. Boundary 4 lbs S. of corner
 Sand & timber similar
 East Corrected
 40.00 gr. Sec. corner Gum 12 S 81 W 35
 N. Oak 36 S 87 E 35
 80.00 Section corner
 North Between Sec^s 2 & 3
 10.85 a N. Oak 20 in. diam.
 35.00 N. Brook 6 lbs S 50 W
 40.00 gr. Sec. corner N. Oak 10 S 73 E 35
 do 9 S 89 W 21
 59.40 N. W. Oak 14 in. diam.
 67.50 Intersected N. Boundary 23 lbs E. of corner
 Brook 15 S 47 W 32
 Chest Oak 24 S 88 E 32
 Sand & timber same
 North Between Sec^s 35 & 36 March 22nd 1820
 18.20 N. W. Oak 20 in. diam.
 40.00 gr. Sec. corner Chest Oak 14 S 10 E 18
 do 16 S 1 E 38
 80.00 Set post corner to Sec^s 25, 26, 35, 36
 N. Oak 14 S 56 E 28
 Gum 6 S 52 W 19
 Sand & timber same

West Between Sec^s 26 & 35 On Random
 40.00 Temporary gr. Sec. post
 80.00 Intersected W. Boundary 72 lbs S. of corner
 Sand Hilly & poor N. W. Oak Hickory 11/2 ft. Sand & gravel
 Augth Ironwood & Dogwood
 East Corrected
 40.00 gr. Sec. corner N. Oak 16 S 29 W 48
 Chest Oak 12 S 35 E 71
 80.00 Section corner
 East Between Sec^s 25 & 36
 21.00 N. W. Oak 14 in. diam.
 24.00 N. Brook 15 lbs S 10 W
 33.10 Intersected E. Boundary 42 lbs S. of post
 N. Oak 15 S 22 W 20
 do 15 S 8 E 28
 Sand & timber same
 North Between Sec^s 25 & 26
 13.30 N. W. Oak 20 in. diam.
 28.00 N. Brook 20 lbs S 5 W
 40.00 gr. Sec. corner Hickory 15 S 31 E 52
 N. Oak 30 S 20 W 40
 50.00 N. Brook 25 lbs S 60 W
 54.00 N. W. Oak 26 in. diam.
 80.00 Set post corner to Sec^s 23, 24, 25 & 26
 Sugar 7 S 46 E 20
 Brook 5 S 70 W 11
 Sand & timber same
 West Between Sec^s 23 & 26 On Random
 34.50 N. Stream 130 lbs S 20 W
 40.00 Temporary gr. Sec. post
 78.00 N. Brook 30 lbs S 20 W
 79.62 Intersected W. Boundary at Sec. corner
 Sand Hilly & poor N. W. Oak Hickory
 Augth Ironwood & Dogwood

West Corrected
 39.81 gr. Sec. corner Brook 10 S 45 W 25
 do 7 S 38 E 12
 79.62 Section corner
 East Between Sec^s 24 & 25
 20.00 N. W. Oak 26 in. diam.
 34.00 Intersected E. Boundary 46 lbs S. of post
 Brook 12 S 85 W 54
 N. Oak 16 S 89 E 27
 Sand Hilly & poor N. Oak Hickory & Brook
 Augth Ironwood & Dogwood
 North Between Sec^s 23 & 24
 17.60 N. Brook 10 in. diam.
 21.50 N. Stream 130 lbs West
 40.00 gr. Sec. corner Brook 5 S 35 W 14
 Sugar 7 S 49 E 2
 51.70 N. Brook 10 in. diam.
 75.00 N. Brook 8 lbs S 40 E
 80.00 Set post corner to Sec^s 13, 14, 23, 24
 N. Oak 10 S 58 E 61
 do 12 S 36 W 14
 Sand & timber same
 West Between Sec^s 14 & 23 On Random
 2.00 N. Brook 8 lbs S 20 E
 40.00 Temporary gr. Sec. post
 66.50 N. Brook 30 lbs South
 79.70 Intersected W. Boundary 54 lbs S. of corner
 Sand & timber same
 East Corrected
 39.85 gr. Sec. corner N. Oak 10 S 72 W 47
 do 24 S 73 E 41
 79.70 Section corner
 East Between Sec^s 13 & 24
 12.33 N. Hickory 13 in. diam.
 31.50 N. Brook 12 lbs South

34.80	Intersected E. Boundary at post corner, Sund Billy & poor. W. Oak & Hickory ang ^l Ironwood 84	North Between Secs 11 & 12
North Between Secs 13 & 14		
20.56	A. W. Oak 13 in. diam ^t	22.95 A. Chest. Oak 10 in. diam ^t
40.00	gr. Sec. corner Sugar 9 S 34 E 41 W. Oak 12 S 13 N 39	40.00 gr. Sec. corner Chest. Oak 9 S 42 W 28 do 9 S 65 E 13
52.80	A. W. Oak 12 in. diam ^t	50.95 A. Chest. Oak 20 in. diam ^t
80.00	Set post corner to Secs 11, 12, 13, 14 Hickory 6 S 45 E 8 do 4 S 20 W 13	80.00 P. recorded before at X. West Between Secs 2 & 11 on Randome
	Sund & timber same	11.70 A. Beech & 1/2 S 40 W
West Between Secs 11 & 14 on Randome		27.50 A. Beech 10 lbs S 10 W
40.00	Temporary gr. Sec. post	40.10 Temporary gr. Sec. post
42.50	A. Beech 6 lbs S 60 W	79.90 Intersected W. Boundary 62 lbs S. of corner Sund & timber same
65.00	A. Beech 15 lbs South	East Corrected
79.68	Intersected W. Boundary 44 lbs S. of corner Sund & timber same	39.95 gr. Sec. corner W. Oak 16 S 58 E 55 do 26 S 62 W 32
East Corrected		79.90 Section corner
39.84	gr. Sec. corner W. Oak 10 S 72 E 42 do 10 S 71 W 37	East Between Secs 1 & 12
79.68	Section corner	13.36 A. B. Oak 24 in. diam ^t
East Between Secs 12 & 13		38.60 Intersected E. Boundary 2.10 lbs S. of corner Sugar 13 S 12 W 41 Hickory 12 S 28 E 19
24.50	A. Hickory 14 in. diam ^t	
37.00	Intersected E. Boundary 150 lbs S. of corner Beech 8 S 38 E 29 B. Oak 7 S 46 E 12	Sund & timber same
	Sund & timber same	North Between Secs 1 & 12
North Between Secs 11 & 12 March 11 th 1820.		3.00 A. Beech 6 lbs S 84 W
22.95	A. Chest. Oak 10 in. diam ^t	18.30 A. W. Oak 14 in. diam ^t
40.00	gr. Sec. corner Chest. Oak 9 S 42 W 28 do 9 S 65 E 13	40.00 gr. Sec. corner W. Oak 26 S 49 W 36 W. Oak 30 South 50
50.95	A. Chest. Oak 20 in. diam ^t	47.85 A. W. Oak 26 in. diam ^t
80.00	Set post corner to Secs 1, 2, 11, 12 W. Oak 15 S 74 W 23 Beech 6 S 34 E 29 Sund & timber same	70.00 Intersected W. Boundary 16 lbs E. of corner Sugar 9 S 72 W 29 Beech 10 S 41 W 10 Sund & timber same Surveyed by James Hedges D. S.

Township N. 10 North, Range N. 2 East 2nd Mer.

Range Line - Var. 6.45'		
North Between Ranges 2 & 3 Township 10 North On the East Side of Sec. 36	53.10	Asu Ash 20 in. diam ^t
40.10	gr. Sec. corner Beech 8 S 19 W 17 do 10 S 22 W 9	67.74 A. Beech 10 lbs S. E
48.50	A. Creek 25 lbs S. W	80.00 Set post corner of Secs 12 & 13 Beech 11 S 17 E 23 do 9 S 14 E 25
58.00	Asu Elm 12 in. diam ^t	Rolling land. Beech. Sugar. Oak 1 st
80.00	Set post corner to Secs 25 & 36 Haw. Oak 36 S 6 E 32 Beech 20 S 50 E 15	North On the East Side of Sec. 12
	Broken land. Beech. Oak 1 st	35.50 A. Beech 20 in. diam ^t
North On the East Side of Sec. 25		40.00 gr. Sec. corner Beech 10 S 63 E 12 do - S 13 E 6
2.63	A. Poplar 40 in. diam ^t	80.00 Set post corner to Secs 1 & 12 Beech 14 - 28 W 6 Sugar 14 S 72 E 16
40.00	gr. Sec. corner Hickory 18 S 83 W 11 Beech 12 S 55 E 15	Rolling land. Beech. Sugar 1 st
50.00	A. Beech 20 in. diam ^t	North On the East Side of Sec. 1
65.00	A. Beech 15 lbs S. E	24.00 A. Beech 5 lbs S. E
80.00	Set post corner to Secs 24 & 25 W. Oak 16 S 73 E 41 Beech 8 S 7 E 35	29.74 A. Beech 20 in. diam ^t
	Rolling land. Oak. Beech 1 st	40.00 gr. Sec. corner Beech 10 S 68 E 12 do 12 South 37
North On the East Side of Sec. 24		52.59 A. Beech 20 in. diam ^t
7.74	A. Sugar 20 in. diam ^t	61.00 A. Beech 7 lbs S. E
40.00	gr. Sec. corner Beech 14 S 21 E 9 do 10 S 40 W 20	86.87 Set post Hickory 15 S 37 E 25 do 12 S 75 W 12
53.76	A. Beech 12 in. diam ^t	Broken land. Oak. Beech. Sugar 1 st
70.00	A. Creek 50 lbs S. W	Surveyed by John McDonald D. S.
80.00	Set post corner of Secs 13 & 24 Beech 10 S 40 E 8 Hickory 7 S 20 E 17	
	Broken land. Oak. Beech 1 st	
North On the East Side of Sec. 13		
12.65	A. Hickory 14 in. diam ^t	
40.00	gr. Sec. corner 14 S 3 E 30 Beech 6 S 5 E 34	